

**Thomas Bremer** 

6717 E Turquoise Ave.

Scottsdale, AZ 85253

3 4

5

6 7

8 9

10 11 12

13 14

15 16

17 18

19 20

21 22

23

24 25

26 27

28 29

30 31

32

33 34

35 36 RECEIVED

2014 FEB 14 A 11: 33

BEFORE THE ARIZONA CORPORATION COMMISSION

BOCKET CONTROL

IN THE MATTER OF THE APPLICATION

OF PAYSON WATER CO., INC., AN ARIZONA

CORPORATION, FOR A DETERMINATION OF

THE FAIR VALUE OF ITS UTILITY PLANTS

AND PROPERTY AND FOR INCREASES IN

ITS WATER RATES AND CHARGES FOR

UTILITY SERVICE BASED THEREON.

IN THE MATTER OF THE APPLICATION

FOR SUCH INDEBTEDNESS.

OF PAYSON WATER CO., INC., AN ARIZONA

CORPORATION, FOR AUTHORITY TO (1) ISSUE EVIDENCE OF INDEBTEDNESS IN AN AMOUNT

NOT TO EXCEED \$1,238,000 IN CONNNECTION

WITH INFRASTRUCTURE IMPROVEMENTS TO

DOCKET NO. W-03514A-13-0111

Arizona Corporation Commission DOCKETED

FFB 1 4 2014

**DOCKETED BY** 

DOCKET NO. W-03514A-13-0142

ORIGINAL

THE UTILITY SYSTEM; AND (2) ENCUMBER REAL PROPERTY AND PLANT AS SECURITY

Response to "Staff's Notice of Filing", Regarding Summer Water Augmentation Surcharge for East Verde Park (EVP)"

## References:

- 1. "Staff's Response to Rejoinder Testimony and Supplemental Rejoinder Testimony (Phase 2)", filed January 24, 2014.
- 2. "Staff's Notice of Filing" filed February 12, 2014

Attachment C of the Reference 1 filing by Staff included sample calculations for water hauling surcharge for East Verde Park (EVP). During the hearing on February 10, it was concluded that these calculations do not provide an accurate assessment of water hauling surcharges. Therefore, Judge Nodes ordered

that Staff files a revised methodology for determining the EVP water hauling surcharge. This was filed by Staff in Revised Attachment B of Reference 2.

Although the EVP ratepayers continue to maintain that the proposed rate increases are of such high magnitude that they should cover any seasonal water hauling needs at EVP (ie: per Reference 1, rates from 3001 to 10,000 gallons nearly quadruple, from \$1.93 to \$7.66), I feel obligated to provide input to the method for calculating the water hauling surcharge in the event that such surcharge is implemented.

The method in Reference 2 for determining EVP customers' portion of water hauling costs is not fair, as it apportions the water hauling surcharges to everyone, even those customers whose water use is low enough to avoid the need for any water hauling.

I have given some thought to the method for calculating the individual customer billing for EVP hauling surcharge, which considers feedback that I received at EVP community and board meetings. In particular, some ratepayers said that they do no outdoor watering and have adopted a very water-frugal lifestyle, and should not be made to pay hauling surcharges that are caused by others who choose a lifestyle with higher water use. Therefore, I propose that the calculation for EVP water hauling surcharges in the customer billing establish a threshold amount of water use, below which the customer does not pay a water hauling surcharge.

The method is simple:

- 1. For a given month, start with the total amount of water pumped from local wells at EVP.
- 2. Divide the local water production by the number of active connections at EVP, to determine the threshold amount of locally-produced water per customer.
  - Below this threshold, customers do not pay a water hauling surcharge.
  - The premise is that if all EVP customers had used no more than this threshold amount of water, then water hauling would not have been necessary at all, so it is unfair to charge residents using less than the threshold amount a hauling surcharge
- 3. Customers who use more than this threshold amount would pay the hauling surcharge in proportion to their use of water over the threshold.

Consider as an example the June, 2012 EVP water use data (Reference Exhibit JW-SRJ3 of PWC filing January 15, 2014):

- There were 142 active connections at EVP.
- Production from EVP wells was 486,840 gallons.
- Water hauled to EVP was 51,817 gallons

- Based on MDC hauling costs in past years and data from References 1 and 2, the adjusted cost
  of hauled water for June 2012 would have been approximately \$1671.63, calculated as follows:
  - 51,817 gallons requires 8 water hauling trips by a truck with 6500 gallon capacity.
  - The hauling company charges \$150 per hour and 1.2 hours per trip, or \$180 per trip. This comes to  $$180 \times 8 = $1440$  for eight trips.
  - $\circ$  The cost of purchased water in this example is assumed to be \$7.00 per thousand gallons from Town of Payson, or 51.817 x \$7 = \$362.72
  - So the total cost of hauled water to EVP in June 2012 would have been \$1440 + \$362.72
     = \$1802.72, before adjustments for avoided costs and account balance of curtailment surcharges.
  - $\circ$  Avoided production costs at the rate of .60 per thousand gallons per Staff's Reference 1 recommendation are 51.817 x .60 = \$31.09.
  - Let's assume a \$100.00 balance in the EVP curtailment account, same as the example in the Reference 2 Staff filing.
  - So, the adjusted cost of hauled water to EVP in June 2012 would have been \$1802.72 (cost of water purchase and hauling) \$31.09 (avoided production costs) \$100 (curtailment account balance) = \$1671.63
- a) With 142 active connections at EVP, the threshold amount of water use in June 2012 to avoid the hauling surcharge would have been 486,840 gallons of locally-produced well water divided by 142, which equals 3428 gallons per customer.
- b) So a PWC customer who used less than and up to 3428 gallons in June 2012 should not have been assessed a hauling surcharge.
  - If all customers in EVP had used no more than 3428 gallons in June 2012, then water hauling would not have been necessary at all.
- c) Now, let's consider a customer who used 5000 gallons in June 2012. This customer used 5000-3428 = 1572 gallons in excess of the surcharge-free threshold. So out of the 51,817 gallons hauled in June 2012, this customer used 1572/51,817=3.034% of the total EVP hauled water. Therefore, this customer's hauling surcharge for the month of June 2012 would have been 3.024% of the total adjusted hauled water cost for EVP.
  - So, the customer who used 5000 gallons in June 2012 would have had an augmentation surcharge of 3.034% x \$1671.63 = \$50.72.

I propose that this is more fair than the calculation method that is implied in the Staff filing of Attachment B, Reference 1, which suggests that all customers pay a portion of the monthly hauled water cost, regardless of how low their water use.

I agree with Staff's recommended cap on the total water hauling surcharges per year.

I also request that the monthly billing statements show the total EVP gallons of water produced locally and hauled, the total EVP hauled water cost for the month, the surcharge-free threshold amount, and the individual customer's percentage of hauled water used. These are all data items that are known and available, since they are required to assess individual customer's surcharge. Customers need this information to understand their bill and to modify their water use habits to avoid or minimize surcharges.

I propose this is both reasonable and administratively workable.

Thank you for your kind consideration,

Tom Bremer

Submitted this 14<sup>th</sup> day of February, 2014.

Copies to:

ACC Docket Control (13 copies)

Jason Williamson, President of Payson Water Company

7581 E. Academy Boulevard, Suite 229

Denver, CO 80230

Thomas J. Bourassa, Consultant for Payson Water Company

139 W. Wood Drive

Phoenix, Arizona 85029

Jay Shapiro, Attorney for Payson Water Company

35 | Fennemore Craig P.C.

2394 E. Camelback Road, Suite 600

1	
1	Phoenix, AZ 85016
2	
3	Kathleen M. Reidhead, Intervenor
4	14406 S. Cholla Canyon Dr.
5	Phoenix, AZ 85044
6	
7	William Sheppard, Intervenor
8	6250 North Central Avenue
9	Phoenix, AZ 85012
10	
11	J. Stephen Gehring & Richard M. Burt, Intervenor
12	8157 W. Deadeye Rd.
13	Payson, AZ 85541
14	
15	Suzanne Nee, Intervenor
16	2051 E. Aspen Dr.
17	Tempe, AZ 85282
18	
19	Glynn Ross, Intervenor
20	405 S. Ponderosa
21	Payson, AZ 85541
22	
23	
24	
25	
26	
27	
28	